


BORNMORE (METALS) LIMITED

No.1 FOR YOUR NON-FERROUS REQUIREMENTS

Telephone No.: 0161 797 6955

Fax No.: 0161 762 0857

E-mail: sales@bornmoremetals.co.uk



BORNMORE (METALS) LIMITED
NO.1 FOR ALL YOUR NON-FERROUS REQUIREMENTS

CONTACT DETAILS

Bornmore (Metals) Limited
Unit 1, Bornmore Industrial Centre,
Harvey Street,
BURY,
Lancashire.
BL8 1NR

Telephone No.: 0161 797 6955

Fax No.: 0161 762 0857

E-mail: sales@bornmoremetals.co.uk

About Us

As a company, we have been established for over 30 years and have developed into a major stockholder/mill associated supplier of an extensive range of non-ferrous metals.

Our ethos is very simple - QUALITY SERVICE, QUALITY PRODUCTS combined with VERY competitive prices.

Our existing customers, many of whom have been loyal to us for over thirty years will vouch for that statement.

If we are hoping that you will become one of our many customers joining us, then I would urge you to give us the opportunity to quote you on all your non-ferrous metal requirements.

YOU WILL NOT BE DISAPPOINTED

We deliver on our own fleet of vehicles across all the regions of the UK and beyond.

Our Sales team has a wealth of experience in the industry and are able to assist you in any relevant costing/information that you may require.

You can RING, EMAIL OR FAX your enquiries direct to the Sales team.

**Ian Harrop
Sales Director**

BORNMORE (METALS) LIMITED

NO.1 FOR ALL YOUR NON-FERROUS REQUIREMENTS




STAINLESS STEEL TUBE (IN 304 AND 316 GRADE)

Diameter	Wall Thickness (mm)								
	1.0	1.2	1.5	2.0	2.5	3.0	4.0	5.0	6.0
10 mm	0.225	0.264	0.319						
12 mm	0.275	0.325	0.394	0.5					
14 mm	0.326	0.385	0.47	0.601					
15 mm	0.351	0.415	0.507	0.651					
16 mm	0.376	0.445	0.545	0.701					
17.2 mm (3/8")	0.406	0.481	0.59	0.761	0.921				
18 mm	0.426	0.505	0.62	0.801					
19 mm	0.452	0.536	0.659	0.851					
20 mm	0.476	0.565	0.695	0.901	1.095				
21.3 mm (1/2")	0.508	0.604	0.744	0.967	1.177	1.375			
22 mm	0.526	0.625	0.77	1.002					
23 mm	0.551	0.655	0.808	1.051					
25 mm	0.601	0.715	0.883	1.152	1.409	1.653			
26.9 mm (3/4")	0.649	0.772	0.954	1.247	1.527	1.795			
28 mm	0.676	0.805	0.995	1.302	1.596	1.878			
30 mm	0.726	0.865	1.07	1.402	1.722	2.028			
32 mm	0.776	0.925	1.146	1.502	1.847	2.178			
33 mm			1.184						
33.7 mm (1")	0.819	0.977	1.209	1.588	1.953	2.306	2.975		
35 mm	0.851	1.016	1.258	1.653	2.035	2.404			
38 mm	0.929	1.106	1.371	1.803	2.222	2.629			
40 mm	0.977	1.166	1.446	1.903	2.348	2.779	3.606		
42 mm		1.226							
42.4 mm (1 1/4")	1.037	1.238	1.536	2.023	2.498	2.96	3.847		
43 mm		1.257	1.559		2.536				
45 mm	1.102	1.316	1.634	2.153	2.661	3.155			
48.3 mm (1 1/2")	1.184	1.415	1.758	2.319	2.867	3.403	4.438		
50 mm	1.227	1.466	1.822	2.404	2.974	3.531	4.607		
50.8 mm	1.247	1.49	1.852	2.444		3.591			
51 mm	1.252	1.496	1.859	2.454	3.036	3.606			
52 mm	1.277	1.526	1.897	2.504	3.099	3.681			
53 mm			1.935						
54 mm	1.327	1.587	1.972	2.604	3.224	3.831			
55 mm			2.01						
57 mm			2.085	2.754	3.412	4.057	5.309		
60.3 mm (2")	1.485	1.776	2.209	2.92	3.618	4.304	5.64		
63 mm			2.31	3.055					
63.5 mm	1.565		2.329	3.08	3.819	4.545	5.96		
70 mm	1.728	2.067	2.573	3.405	4.226	5.033	6.611		
76 mm			2.799	3.706					
76.1 mm (2 1/2")	1.881	2.251	2.802	3.711	4.607	5.491	7.222		
80 mm	1.978	2.368	2.948	3.906	4.852	5.784	7.613		

Tube can be supplied in:-

- **Brushed descaled finish**
- **Ornamental bright finish**
- **Mirror polished finish**
- **Satin polish finish**
- **Super mirror polished finish**

BORNMORE (METALS) LIMITED NO.1 FOR ALL YOUR NON-FERROUS REQUIREMENTS




STAINLESS STEEL TUBE (IN 304 AND 316 GRADE) (Cont'd)

Diameter Diameter	Wall Thickness (mm)								
	1.0	1.2	1.5	2.0	2.5	3.0	4.0	5.0	6.0
84 mm				4.107					
88.9 mm (3")			3.283	4.352	5.409	6.453	8.504		
101.6 mm (3 1/2")			3.76	4.988	6.204	7.407	9.776	12.094	14.363
104 mm			3.85	5.108	6.354	7.587	10.016	12.395	14.724
108 mm			4.001	5.309	6.605	7.888	10.42		
114.3 mm (4")			4.237	5.624	6.999	8.361	11.048	13.684	16.271
129 mm (4 1/2")			4.789	6.36	7.919	9.465	12.52	15.525	18.48
139.7 mm (5")			5.191	6.896	8.589	10.269	13.592	16.864	20.087
154 mm			5.728	7.612	9.484	11.343	15.024	18.655	22.236
168.3 mm (6")			6.265	8.328	10.379	12.417	16.456	20.445	24.384

Tube can be supplied in:-

- Brushed descaled finish**
- Satin polish finish**
- Ornamental bright finish**
- Mirror polished finish**
- Super mirror polished finish**



STAINLESS STEEL HANDRAIL TUBE AND FITTINGS (IN GRADES 304 and 316)

OD Size	Wall Thickness (mm)	Weight per metre/kg
42.4 mm	2 mm	2.01
42.4 mm	2.5 mm	2.48
48.3 mm	2 mm	2.3
48.3 mm	2.5 mm	2.85
48.3 mm	3 mm	3.42
60.3 mm	2 mm	2.9
60.3 mm	2.5 mm	3.6

- Standard dull polished finish**
- Our in-house polishing division can mirror polished tube /tube and fittings to suit**
- Extensive range of FITTINGS to suit**



BORNMORE (METALS) LIMITED

NO.1 FOR ALL YOUR NON-FERROUS REQUIREMENTS



STAINLESS STEEL PIPE (IN 304 AND 316 GRADES)

All pipes can be dull polished or mirror polished


Nominal Pipe Size (in)	Outside Diameter (in)		Wall Thickness (in) Wall Thickness (mm) Weight per metre/kg					
			5S	10S	STD 40S	EH 80S	160	
1/8	0.405	(in)	-	0.049	0.068	0.095	-	
	10.290	(mm)	0.890	1.240	1.730	2.410	-	
	-	(kg)	0.210	0.280	0.640	0.480	-	
1/4	0.540	(in)	0.049	0.065	0.088	0.119	-	
	13.70	(mm)	1.240	1.650	2.240	3.020	-	
	-	(kg)	0.390	0.500	0.730	0.810	-	
3/8	0.675	(in)	0.049	0.065	0.091	0.126	-	
	17.100	(mm)	1.240	1.650	2.310	3.200	-	
	-	(kg)	0.490	0.640	0.860	1.120	-	
1/2	0.840	(in)	0.065	0.083	0.109	0.147	0.187	
	21.300	(mm)	1.650	2.110	2.770	3.730	4.750	
	-	(kg)	0.810	1.020	1.290	1.640	1.970	
3/4	1.050	(in)	0.065	0.083	0.113	0.154	0.218	
	26.700	(mm)	1.650	2.110	2.870	3.910	5.540	
	-	(kg)	1.030	1.300	1.710	2.230	2.930	
1	1.315	(in)	0.065	0.109	0.133	0.179	0.250	
	33.400	(mm)	1.650	2.770	3.380	4.550	6.350	
	-	(kg)	1.310	2.130	2.540	3.290	4.310	
1 1/4	1.660	(in)	0.065	0.109	0.140	0.191	0.250	
	42.200	(mm)	1.650	2.770	3.560	4.850	6.350	
	-	(kg)	1.670	2.730	3.440	4.540	5.700	
1 1/2	1.900	(in)	0.065	0.109	0.145	0.200	0.281	
	48.300	(mm)	1.650	2.770	3.680	5.080	7.140	
	-	(kg)	1.930	3.160	4.120	5.490	7.360	
2	2.375	(in)	0.065	0.109	0.154	0.218	0.343	
	60.300	(mm)	1.650	2.770	3.910	5.540	8.710	
	-	(kg)	2.420	3.990	5.530	7.600	11.260	
2 1/2	2.875	(in)	0.083	0.120	0.203	0.276	0.375	
	73.000	(mm)	2.110	3.050	5.160	7.010	9.530	
	-	(kg)	3.750	5.340	8.770	11.600	15.160	
3	3.500	(in)	0.083	0.120	0.216	0.300	0.438	
	88.900	(mm)	2.110	3.050	5.490	7.620	11.100	
	-	(kg)	4.590	6.560	11.470	15.520	21.680	
3 1/2	4.000	(in)	0.083	0.12	0.226	0.318	-	
	101.600	(mm)	2.110	3.050	5.740	8.080	-	
	-	(kg)	5.260	7.530	13.790	18.930	-	
4	4.500	(in)	0.083	0.120	0.237	0.337	0.531	
	114.300	(mm)	2.110	3.050	6.020	8.560	13.480	
	-	(kg)	5.930	8.500	16.340	22.700	34.080	
5	5.563	(in)	0.109	0.341	0.258	0.375	0.625	
	141.300	(mm)	2.770	3.400	6.550	9.530	15.870	
	-	(kg)	9.450	11.740	22.130	31.460	49.900	
6	6.625	(in)	0.109	0.134	0.280	0.431	0.718	
	168.300	(mm)	2.770	3.400	7.110	10.970	18.230	
	-	(kg)	11.480	14.040	28.720	43.250	68.580	

BORNMORE (METALS) LIMITED
NO.1 FOR ALL YOUR NON-FERROUS REQUIREMENTS



STAINLESS STEEL PIPE
(IN 304 AND 316 GRADES) (Cont'd)


Nominal Pipe Size (in)	Outside Diameter (in)		Wall Thickness (in) Wall Thickness (mm) Weight per metre/kg					
			10	20	STD 40S	EH 80S	120	160
8	8.625	(in)	0.148	0.250	0.322	0.500	0.718	0.906
	219.100	(mm)	3.760	6.350	8.180	12.700	18.230	23.010
	-	(kg)	20.270	33.850	43.220	65.590	91.790	113.080
10	10.750	(in)	0.165	0.250	0.365	0.500	0.843	1.125
	273.100	(mm)	4.190	6.350	9.270	12.700	21.410	28.570
	-	(kg)	28.210	42.420	61.290	82.880	135.050	175.020
12	12.750	(in)	0.180	0.250	0.375	0.500	1.000	1.312
	323.900	(mm)	4.570	6.350	9.530	12.700	25.400	33.320
	-	(kg)	36.540	50.540	75.030	99.040	190.010	242.690



STAINLESS STEEL SHEETS
(IN 430, 304 AND 316 GRADES)
FINISHES AVAILABLE IN 2B/DP/BA AND MP


Size (mm)	Weight per sheet/kg	Size (mm)	Weight per sheet/kg
2000 x 1000 x 0.5	8.2	2000 x 1000 x 1.5	24.6
2500 x 1250 x 0.5	12.8	2500 x 1250 x 1.5	38.4
2000 x 1000 x 0.7	11.5	3000 x 1500 x 1.5	55.3
2500 x 1250 x 0.7	17.9	2000 x 1000 x 2.0	32.7
2500 x 1250 x 0.8	20.5	2500 x 1250 x 2.0	51.2
2000 x 1000 x 0.9	14.7	3000 x 1500 x 2.0	73.7
2500 x 1250 x 0.9	23	2000 x 1000 x 2.5	40.9
3000 x 1500 x 0.9	33.2	2500 x 1250 x 2.5	63.9
2000 x 1000 x 1.0	16.4	3000 x 1500 x 2.5	92.1
2500 x 1250 x 1.0	25.6	2000 x 1000 x 3.0	49.6
2000 x 1000 x 1.2	19.6	2500 x 1250 x 3.0	77.5
2500 x 1250 x 1.2	30.7	3000 x 1500 x 3.0	112
3000 x 1500 x 1.2	44.2		

BORNMORE (METALS) LIMITED
NO.1 FOR ALL YOUR NON-FERROUS REQUIREMENTS



STAINLESS STEEL SHEETS
(IN 304 AND 430 GRADES)
CATERING SIZE SHEETS
AVAILABLE IN DP1/PC1

3000 x 1000 x 1.2 mm/1.5 mm
3000 x 838 x 1.2 mm/1.5 mm
3000 x 762 x 1.2 mm/1.5 mm



STAINLESS STEEL PLATE
(IN 304 AND 316)

Size (mm)	Weight per sheet/kg	Size (mm)	Weight per sheet/kg
2000 x 1000 x 3.0	51	3000 x 1500 x 5.0	191
2500 x 1250 x 3.0	79.7	4000 x 2000 x 5.0	340
3000 x 1500 x 3.0	115	2000 x 1000 x 6.0	102
2000 x 1000 x 4.0	68	2500 x 1250 x 6.0	159
2500 x 1250 x 4.0	106	3000 x 1500 x 6.0	230
3000 x 1500 x 4.0	153	2500 x 1250 x 8.0	213
2000 x 1000 x 5.0	85	3000 x 1500 x 8.0	306
2500 x 1250 x 5.0	133	4000 x 2000 x 8.0	544

BORNMORE (METALS) LIMITED
NO.1 FOR ALL YOUR NON-FERROUS REQUIREMENTS



STAINLESS STEEL
RECTANGULAR TUBE
(IN 304 AND 316 GRADES)

In descaled finish, dull polish finish and mirror polish finish

Diameter	Wall thickness (mm)								
	1.0	1.2	1.5	2.0	2.5	3.0	4.0	5.0	6.0
20 x 10 mm	0.453	0.538	0.661						
20 x 15 mm	0.533	0.634	0.781	1.016					
25 x 10 mm	0.533	0.634	0.781	1.016					
25 x 15 mm	0.613	0.729	0.9	1.176					
30 x 10 mm	0.613	0.729	0.9						
30 x 15 mm	0.693	0.825	1.02	1.335					
30 x 20 mm	0.772	0.921	1.14	1.494					
35 x 20 mm	0.852	1.017	1.259	1.654					
40 x 10 mm			1.14	1.495					
40 x 15 mm	0.852	1.017	1.259	1.654					
40 x 20 mm	0.932	1.112	1.379	1.813		2.645			
40 x 27 mm			1.547						
40 x 30 mm	1.091	1.303	1.618	2.132	2.635	3.124			
50 x 10 mm			1.379						
50 x 20 mm	1.091	1.303	1.618	2.132					
50 x 25 mm		1.399	1.738	2.292					
50 x 30 mm	1.251	1.495	1.857	2.451		3.602			
50 x 40 mm		1.686	2.097	2.77	3.432	4.081			
60 x 20 mm		1.495	1.857	2.451					
60 x 30 mm		1.686	2.097	2.77	3.432	4.081			
60 x 40 mm		1.878	2.336	3.089	3.831	4.559	5.979		
70 x 20 mm				2.77		4.081			
70 x 30 mm				3.089		4.559	5.979		
70 x 40 mm				3.409		5.038			
80 x 20 mm			2.336	3.089					
80 x 40 mm		2.261	2.814	3.727	4.628	5.516	7.255	8.943	
80 x 60 mm			3.293	4.365	5.426	6.473	8.531		
100 x 40 mm			3.293	4.365	5.426	6.473	8.531	10.538	
100 x 50 mm			3.532	4.684	5.824	6.952	9.169	11.335	
100 x 60 mm			3.771	5.003		7.43	9.807	12.133	
100 x 80 mm				5.642		8.387	11.083		
120 x 40 mm				5.003		7.43	9.807		
120 x 60 mm				5.642		8.387	11.083	13.728	16.324
120 x 80 mm				6.279		9.343	12.358	15.322	18.236
140 x 60 mm				6.279		9.343	12.358		
150 x 50 mm				6.279		9.343	12.358	15.322	18.236
150 x 100 mm				7.874		11.735	15.548		
160 x 80 mm				7.555		11.258	14.91		
180 x 60 mm				7.555		11.258	14.91		

BORNMORE (METALS) LIMITED NO.1 FOR ALL YOUR NON-FERROUS REQUIREMENTS




STAINLESS STEEL SQUARE TUBE (IN 304, 430 AND 316 GRADES)

Diameter Section	Wall Thickness (mm)								
	1.0	1.2	1.5	2.0	2.5	3.0	4.0	5.0	6.0
12 x 12 mm	0.358	0.423	0.518						
15 x 15 mm	0.453	0.538	0.661						
16 x 16 mm	0.485	0.576	0.709	0.92					
20 x 20 mm	0.613	0.729	0.901	1.175					
22 x 22 mm			0.995						
25 x 25 mm	0.772	0.921	1.14	1.494	1.837	2.167			
30 x 30 mm	0.932	1.112	1.379	1.814	2.236	2.645			
35 x 35 mm	1.091	1.303	1.618	2.132	2.635	3.124			
40 x 40 mm	1.251	1.495	1.857	2.451	3.033	3.602	4.703		
45 x 45 mm	1.41	1.686	2.097	2.77	3.433	4.081	5.342		
50 x 50 mm	1.57	1.878	2.336	3.089	3.831	4.559	5.979	7.349	
60 x 60 mm			2.814	3.727	4.628	5.516	7.255	8.943	
70 x 70 mm			3.293	4.365	5.425	6.473	8.531		
80 x 80 mm			3.771	5.003	6.223	7.43	9.807	12.133	14.41
100 x 100 mm			4.728	6.279	7.818	9.343	12.358	15.322	18.236
120 x 120 mm				7.555		11.257	14.91	18.512	22.064

Tube can be supplied in:-


- **Brushed descaled finish** • **Mirror polished finish**
- **Dull polish finish**



STAINLESS STEEL ROUND BAR (IN 303, 304 AND 316 GRADES)

Diam. (in)	Weight per metre/kg	Diam. (in)	Weight per metre/kg	Diam. (in)	Weight per metre/kg
3 mm	0.06	15 mm	1.4	1 1/2"	9.01
1/8"	0.06	5/8"	1.56	40 mm	9.93
4 mm	0.1	16 mm	1.59	1 5/8"	10.6
3/16"	0.14	11/16"	1.89	1 3/4"	12.2
5 mm	0.16	18 mm	2.01	45 mm	12.56
6 mm	0.22	3/4"	2.25	1 7/8"	14.1
1/4"	0.25	20 mm	2.48	50 mm	15.5
7 mm	0.3	22 mm	3	2"	16
5/16"	0.39	7/8"	3.07	2 1/8"	18.1
8 mm	0.4	24 mm	3.57	2 1/4"	20.3
3/8"	0.56	25 mm	3.88	60 mm	22.3
10 mm	0.62	1"	4.03	2 3/8"	22.6
7/16"	0.77	1 1/8"	5.07	2 1/2"	25
12 mm	0.89	30 mm	5.58	2 5/8"	27.6
1/2"	1	1 1/4"	6.25	2 3/4"	20.3
9/16"	1.22	1 3/8"	7.57	3"	36
14 mm	1.22	35 mm	7.6		

BORNMORE (METALS) LIMITED
NO.1 FOR ALL YOUR NON-FERROUS REQUIREMENTS



STAINLESS STEEL FLAT BAR
(IN 304 AND 316 GRADES)


Size (mm)	Weight per metre/kg	Size (mm)	Weight per metre/kg	Size (mm)	Weight per metre/kg
12 x 3	0.28	100 x 6	4.74	40 x 12	3.79
20 x 3	0.47	125 x 6	5.97	50 x 12	4.74
25 x 3	0.59	150 x 6	7.11	60 x 12	5.69
30 x 3	0.71	200 x 6	9.48	75 x 12	7.11
40 x 3	0.95	25 x 8	1.58	100 x 12	9.48
50 x 3	1.19	30 x 8	1.9	125 x 12	11.85
60 x 3	1.42	40 x 8	2.53	150 x 12	14.32
75 x 3	1.78	50 x 8	3.16	25 x 15	2.96
100 x 3	2.37	60 x 8	3.79	30 x 15	3.56
12 x 5	0.47	75 x 8	4.74	40 x 15	4.74
20 x 5	0.79	100 x 8	6.32	50 x 15	5.93
25 x 5	0.99	150 x 8	9.48	60 x 15	7.11
30 x 5	1.19	200 x 8	12.64	75 x 15	8.88
40 x 5	1.58	20 x 10	1.58	100 x 15	11.9
50 x 5	1.98	25 x 10	1.98	25 x 20	3.95
60 x 5	2.37	30 x 10	2.37	30 x 20	4.74
75 x 5	2.96	40 X 10	3.16	40 x 20	6.32
100 x 5	3.95	50 X 10	3.95	50 x 20	7.9
12 x 6	0.57	60 X 10	4.74	60 x 20	9.48
20 x 6	0.95	65 X 10	5.13	75 x 20	11.9
25 x 6	1.19	75 X 10	5.93	100 x 20	15.8
30 x 6	1.42	80 x 10	6.32	30 x 25	5.93
35 x 6	1.66	100 x 10	7.9	40 x 25	7.9
40 x 6	1.9	125 x 10	9.95	50 x 25	9.88
45 x 6	2.13	150 x 10	11.85	60 x 25	11.9
50 x 6	2.37	200 x 10	15.8	75 x 25	14.8
60 x 6	2.84	20 x 12	1.92	100 x 25	19.8
75 x 6	3.56	25 x 12	2.37		
80 x 6	3.79	30 x 12	2.84		

BORNMORE (METALS) LIMITED
NO.1 FOR ALL YOUR NON-FERROUS REQUIREMENTS



STAINLESS STEEL SQUARE BAR
(IN 304 AND 316 GRADES)

Size (mm)	Weight per metre/kg	Size (mm)	Weight per metre/kg
3/8 x 3/8	0.72	1 1/2 x 1 1/2	11.3
10 x 10	0.79	40 x 40	12.6
12 x 12	1.13	1 3/4 x 1 3/4	15.7
1/2 x 1/2	1.3	50 x 50	19.6
15 x 15	1.77	2 x 2	20
5/8 x 5/8	2	2 1/4 x 2 1/4	25.9
16 x 16	2.01	60 x 60	28.8
3/4 x 3/4	2.9	2 1/2 x 2 1/2	32
20 x 20	3.14	65 x 65	34
25 x 25	4.91	3 x 3	46
1 x 1	5	3 1/2 x 3 1/2	63
30 x 30	7.06	4 x 4	83
1 1/4 x 1 1/4	7.9		



STAINLESS STEEL ANGLE
(IN 304 AND 316 GRADES)

Size (mm)	Weight per metre/kg	Size (mm)	Weight per metre/kg
20 x 20 x 3	0.89	60 x 60 x 10	8.7
25 x 25 x 3	1.13	65 x 65 x 5	5.03
25 x 25 x 5	1.77	65 x 65 x 6	5.95
25 x 25 x 6	2.06	65 x 65 x 8	7.71
30 x 30 x 3	1.36	65 x 65 x 10	9.8
30 x 30 x 5	2.17	75 x 75 x 6	6.89
30 x 30 x 6	2.53	75 x 75 x 8	8.97
40 x 40 x 3	1.85	75 x 75 x 10	11.5
40 x 40 x 5	2.98	80 x 80 x 6	7.37
40 x 40 x 6	3.49	80 x 80 x 8	9.65
50 x 50 x 3	2.36	80 x 80 x 10	11.8
50 x 50 x 5	3.79	100 x 100 x 6	9.3
50 x 50 x 6	4.46	100 x 100 x 8	12.5
50 x 50 x 8	5.76	100 x 100 x 10	15
50 x 50 x 10	7.06	100 x 100 x 12	17.8
60 x 60 x 8	7.5		

BORNMORE (METALS) LIMITED
NO.1 FOR ALL YOUR NON-FERROUS REQUIREMENTS



**Our range of BRASS TUBE is probably the largest
ex-stock range available in the UK
All our tube can be supplied as drawn or
polished “in-house” to a mirror polish or satin polish**

BRASS TUBE SIZES

Diameter	Wall Thickness									
	22 swg	20 swg	1 mm	19 swg	1.2 mm	18 swg	16 swg	1.5 mm	14 swg	3 mm
6 mm			x							
8 mm			x		x					
3/8"		x				x	x			
1/2"		x				x	x		x	
5/8"		x				x	x			
9/16"		x								
11/16"	x									
3/4"				x		x	x			x
7/8"							x			
1"				x		x	x			x
1 1/8"							x			
1 1/4"				x		x	x			x
1 1/2"						x	x			x
1 3/4"							x			
2"		x				x	x			x
2 1/8"							x			
2 1/4"							x			
2 1/2"							x			
70 mm								x		
3"							x			
80 mm								x		
100 mm								x		

BORNMORE (METALS) LIMITED
NO.1 FOR ALL YOUR NON-FERROUS REQUIREMENTS



**BRASS HOLLOW SECTION/
RECTANGULAR HOLLOW SECTIONS
CZ108 H-H**

1/2" x 1/2" x 16/18 swg

1 1/2" x 1 1/2" x 16 swg

5/8" x 5/8" x 20 swg

50 x 50 x 1.5 mm

3/4" x 3/4" x 16 swg

50 x 25 x 1.5 mm

1" x 1" x 16 swg

40 x 20 x 1.5 mm

1 1/4" x 1 1/4" x 16 swg

Our range of DESIGN TUBE is extensive

Rope-Twist

12 mm, 16 mm, 20 mm, 25 mm and 50 mm od

Reeded Tube

12 mm, 16 mm, 20 mm, 25 mm, 40 mm and 50 mm od

Barley Twist Tube

1" A/C, 1 1/2" A/C and 2" A/C




Our manufacturing range is extensive and we can manufacture and supply most sizes not listed on prompt and reliable lead-times, whether these be OD or hollow section sizes

ALL CAN BE SUPPLIED SATIN OR MIRROR POLISHED


BRASS FITTINGS

Our range of brass fittings are extensive from footrail brackets to end caps and from ventilation grilles to kick plates.

For further information see our sister company; Janian Architectural Metalwork's website at www.janianarchitectual.co.uk.




BORNMORE (METALS) LIMITED
NO.1 FOR ALL YOUR NON-FERROUS REQUIREMENTS



BRASS SHEETS CZ108 H-H

Size	Weight per sheet/kg	Size	Weight per sheet/kg
2000 x 1000 x 0.45 mm*	8	2000 x 1000 x 1.5 mm*	25.3
2000 x 1000 x 0.55 mm*	9.3	2500 x 1250 x 2.0 mm	52.81
2000 x 1000 x 0.7 mm*	11.8	2000 x 1000 x 2.0 mm*	33.8
8' x 1000 x 0.9 mm	19	8' x 4' x 14 swg	53
2000 x 1000 x 0.9 mm*	15.2	2000 x 1000 x 2.5 mm*	42.25
8' x 4' x 18 swg	30.64	2000 x 1000 x 3.0 mm*	50.7
8' x 1000 x 1.2 mm*	25	2500 x 1250 x 3.0 mm	79.21
2000 x 1000 x 1.2 mm*	20.3	2000 x 1000 x 4 mm	67.6
2500 x 1250 x 1.5 mm	39.53	2000 x 1000 x 5 mm	86
8' x 4' x 1.6 mm*	40.19	2000 x 1000 x 1/4"	107
8' x 1000 x 1.5 mm*	31		

* These sizes are also stocked as mirror polished and poly-coated one side



BRASS SHEET CZ106 SOFT

Size	Weight per sheet/kg	Size	Weight per sheet/kg
2000 x 1000 x 0.55 mm	9.3	2000 x 1000 x 1.2 mm	20.3
2000 x 1000 x 0.7 mm	11.8	2000 x 1000 x 1.6 mm	27
2000 x 1000 x 0.9 mm	15.2	2000 x 1000 x 2 mm	33.83

**Our in-house polishing division can polish to your requirements
 mirror or satin finish**

BORNMORE (METALS) LIMITED
NO.1 FOR ALL YOUR NON-FERROUS REQUIREMENTS



BRASS ROUND BAR
CZ121 Free machining quality
CZ131 riveting quality

Diam. (in)	Weight per metre/kg	Diam. (in)	Weight per metre/kg	Diam. (in)	Weight per metre/kg	Diam. (in)	Weight per metre/kg
1/8	0.07	13 mm	1.13	1	4.31	2 1/4	21.8
5/32	0.1	17/32	1.22	1 1/16	4.86	60 mm	24
4 mm	0.11	14 mm	1.31	26 mm	4.51	2 3/8	24.3
3/16	0.15	9/16	1.36	28 mm	5.23	2 1/2	26.9
5 mm	0.17	15 mm	1.5	1 1/8	5.45	65 mm	28.21
7/32	0.21	5/8	1.63	30 mm	6.01	2 5/8	29.7
6 mm	0.24	16 mm	1.71	1 3/16	6.07	2 3/4	32.6
1/4	0.27	21/32	1.86	1 1/4	6.73	3	38.8
7 mm	0.33	17 mm	1.92	1 5/16	7.42	3 1/4	45.5
9/32	0.34	11/16	2.04	1 3/8	8.14	3 1/2	52.8
5/16	0.42	18 mm	2.16	35 mm	8.18	3 3/4	60.57
8 mm	0.43	23/32	2.23	36 mm	8.65	4	68.9
11/32	0.51	3/4	2.42	1 7/16	8.9	4 1/4	77.8
9 mm	0.54	20 mm	2.67	1 1/2	9.69	4 1/2	87.2
3/8	0.61	13/16	2.84	40 mm	10.7	130 mm	108
10 mm	0.67	22 mm	3.23	1 5/8	11.4	140 mm	129
13/32	0.71	7/8	3.3	1 3/4	13.2	155 mm	155
7/16	0.82	29/32	3.53	1 7/8	15.1	180 mm	210
15/32	0.95	15/16	3.79	50 mm	16.7	205 mm	281
12 mm	0.96	24 mm	3.84	2	17.2	230 mm	353
1/2	1.08	25 mm	4.17	2 1/8	19.4		



BRASS ANGLE CZ130

Can be polished in-house to satin/mirror polish finish


Size (in)	Weight per metre/kg	Size (in)	Weight per metre/kg
1/2 x 1/2 x 1/16	0.318	1 1/2 x 1 1/2 x 3/16	2.89
1/2 x 1/2 x 1/8	0.63	1 1/2 x 1 1/2 x 1/4	3.77
3/4 x 3/4 x 1/16	0.47	2 x 1 x 1/8	1.96
3/4 x 3/4 x 1/8	0.94	2 x 2 x 1/8	2.66
1 x 1 x 1/16	0.658	2 x 2 x 3/16	3.99
1 x 1 x 1/8	1.29	2 x 2 x 1/4	5.14
1 x 1/2 x 1/8	0.934	2 1/2 x 2 1/2 x 1/4	6.451
1 1/4 x 1 1/4 x 1/8	1.63	3 x 3 x 1/4	7.71
1 1/2 x 1 1/2 x 1/8	1.97		

BORNMORE (METALS) LIMITED
NO.1 FOR ALL YOUR NON-FERROUS REQUIREMENTS



BRASS SQUARE BAR CZ121

Size (in)	Weight per metre/kg	Size (in)	Weight per metre/kg	Size (in)	Weight per metre/kg
1/4 x 1/4	0.34	3/4 x 3/4	3.08	2 x 2	21.9
5/16 x 5/16	0.54	7/8 x 7/8	4.2	2 1/4 x 2 1/4	27.8
3/8 x 3/8	0.77	1 x 1	5.48	2 1/2 x 2 1/2	34
7/16 x 7/16	1.05	1 1/4 x 1 1/4	8.57	2 3/4 x 2 3/4	41.5
1/2 x 1/2	1.37	1 1/2 x 1 1/2	12.3	3 x 3	49.4
5/8 x 5/8	2.14	1 3/4 x 1 3/4	16.8		



BRASS FLAT BAR CZ121

Can be polished in-house to a satin/mirror polish finish

Size (in)	Weight per metre/kg	Size (in)	Weight per metre/kg	Size (in)	Weight per metre/kg
3/8 x 1/8	0.26	1 1/4 x 1/4	1.71	2 x 1 1/4	13.75
3/8 x 1/4	0.52	1 1/4 x 3/8	2.57	2 x 1 1/2	16.3
1/2 x 1/8	0.34	1 1/4 x 1/2	3.43	2 1/2 x 1/4	3.43
1/2 x 1/4	0.69	1 1/4 x 3/4	5.14	2 1/2 x 3/8	5.08
5/8 x 1/8	0.43	1 1/4 x 1	6.85	2 1/2 x 1/2	6.86
5/8 x 1/4	0.86	1 1/2 x 1/8	1.03	2 1/2 x 3/4	10.02
5/8 x 3/8	1.29	1 1/2 x 3/16	1.54	2 1/2 x 1	13.6
3/4 x 1/8	0.51	1 1/2 x 1/4	2.06	2 1/2 x 1 1/4	17.03
3/4 x 3/16	0.77	1 1/2 x 3/8	3.08	2 1/2 x 1 1/2	20.3
3/4 x 1/4	1.03	1 1/2 x 1/2	4.11	3 x 1/8	2.06
3/4 x 3/8	1.54	1 1/2 x 3/4	6.11	3 x 1/4	4.11
3/4 x 1/2	2.06	1 1/2 x 1	8.23	3 x 3/8	6.17
1 x 1/8	0.69	1 3/4 x 1/2	4.75	3 x 1/2	8.23
1 x 3/16	1.03	2 x 1/8	1.37	3 x 1	16.5
1 x 1/4	1.37	2 x 3/16	2.06	3 x 2	32.9
1 x 5/16	1.72	2 x 1/4	2.74	4 x 1/8	2.74
1 x 3/8	2.06	2 x 3/8	4.11	4 x 1/4	5.48
1 x 1/2	2.74	2 x 1/2	5.48	4 x 3/8	8.17
1 x 5/8	3.45	2 x 5/8	6.79	4 x 1/2	11
1 x 3/4	4.11	2 x 3/4	8.17	4 x 3/4	16.3
1 1/4 x 1/8	0.85	2 x 1	11		

BORNMORE (METALS) LIMITED
NO.1 FOR ALL YOUR NON-FERROUS REQUIREMENTS




COPPER SHEET C106 H-H
C101 H-H / C106 SOFT

Size	Weight per sheet/kg	Size	Weight per sheet/kg
2000 x 1000 x 0.5 mm°	9.79	2000 x 1000 x 2.5 mm	44.5
2000 x 1000 x 0.7 mm°	12.5	8' x 4' x 3.0 mm	79.38
2000 x 1000 x 0.9 mm°	16	2000 x 1000 x 3.0 mm	53.4
2000 x 1000 x 1.2 mm°	21.4	2000 x 1000 x 4.0 mm	74
8' x 4' x 18 swg	33.3	8' x 4' x 4.0 mm	105.83
2000 x 1000 x 1.5 mm°	26.72	2000 x 1000 x 5.0 mm	89
8' x 4' x 1.6 mm	42.33	2000 x 1000 x 6.0 mm	106
8' x 4' x 2.0 mm	52.91	2000 x 1000 x 8.0 mm	150
2000 x 1000 x 2.0 mm	35.6	2000 x 1000 x 10.0 mm	178

° also available in **SOFT, SPINNING QUALITY**


* sheets and supplied as satin/mirror polished



COPPER FLAT BAR C101

Size (in)	Weight per metre/kg	Size (in)	Weight per metre/kg	Size (in)	Weight per metre/kg
1/2 x 1/8	0.36	30 x 3 mm	0.8	2 x 1/4	2.87
1/2 x 3/16	0.54	30 x 6 mm	1.61	2 x 3/8	4.31
1/2 x 1/4	0.72	30 x 10 mm	2.67	2 x 1/2	5.74
5/8 x 1/8	0.45	1 1/4 x 1/8	0.9	2 x 3/4	8.61
3/4 x 1/8	0.54	1 1/4 x 1/4	1.79	2 1/2 x 1/4	5.59
3/4 x 3/16	0.81	1 1/2 x 1/8	1.08	2 1/2 X 3/8	5.38
3/4 x 1/4	1.08	1 1/2 x 1/4	2.15	2 1/2 x 1/2	7.18
20 x 6 mm	1.07	1 1/2 x 3/8	3.23	3 x 1/4	4.31
20 x 10 mm	1.78	1 1/2 x 1/2	4.31	3 x 3/8	6.46
25 x 3 mm	0.67	40 x 6 mm	2.14	3 x 1/2	8.61
25 x 5 mm	1.11	40 x 8 mm	2.85	80 x 10 mm	7.12
25 x 6 mm	1.34	40 x 10 mm	3.56	80 x 12 mm	8.54
25 x 10 mm	2.22	50 x 6 mm	2.67	100 x 6 mm	5.34
1 x 1/8	0.72	50 x 8 mm	3.57	100 x 10 mm	8.9
1 x 3/16	1.08	50 x 10 mm	4.45	4 x 1/4	5.74
1 x 1/4	1.44	2 x 1/8	1.44	4 x 3/8	8.61
1 x 1/2	2.87	2 x 3/16	2.15	4 x 1/2	11.5

BORNMORE (METALS) LIMITED
NO.1 FOR ALL YOUR NON-FERROUS REQUIREMENTS



COPPER ROUND BAR C101

Diam (in)	Weight per meter/kg	Diam (in)	Weight per metre/kg
1/4	0.28	30 mm	6.32
5/16	0.44	1 1/4	7.05
3/8	0.63	1 3/8	8.53
1/2	1.13	1 1/2	10
5/8	1.76	1 5/8	11.9
3/4	2.54	2	18
7/8	3.45	2 1/4	22.8
25 mm	4.39	2 1/2	28.2
1	4.51	4	72.2
1 1/8	5.71		



COPPER TUBE C106 H-H

Our range of copper tube is extensive

From 8 mm od up to 2" od

Please contact our Sales Team who will be more than willing to offer you further information regarding this product

BORNMORE (METALS) LIMITED
NO.1 FOR ALL YOUR NON-FERROUS REQUIREMENTS



ALUMINIUM ROUND BAR

6082T6

6083T6

Diam (in)	Weight per metre/kg	Diam (in)	Weight per metre/kg	Diam (in)	Weight per metre/kg	Diam (in)	Weight per metre/kg	Diam (in)	Weight per metre/kg
1/4	0.09	20 mm	0.85	1 5/8	3.63	3	12.4	5 1/4	37.8
5/16	0.13	13/16	0.91	1 3/4	4.21	3 1/4	14.5	5 1/2	41.5
3/8	0.19	7/8	1.05	1 7/8	4.83	3 1/2	16.8	5 3/4	45.4
7/16	0.26	1	1.37	2	5.49	3 3/4	19.3	6	49.4
1/2	0.34	1 1/8	1.74	2 1/8	6.2	4	22	6 1/2	58
9/16	0.43	1 1/4	2.15	2 1/4	6.95	4 1/4	24.8	7	67.3
5/8	0.54	1 5/16	2.37	2 3/8	7.75	4 1/2	27.8	7 1/4	72.2
16 mm	0.54	1 3/8	2.6	2 1/2	8.58	4 3/4	31	7 1/2	77.2
11/16	0.65	35 mm	2.61	2 5/8	9.46	5	34.3	8	87.9
3/4	0.77	1 1/2	3.09	2 3/4	10.4				




ALUMINIUM FLAT BAR

6082T6

6083T6


Size (in)	Weight per metre/kg	Size (in)	Weight per metre/kg	Size (in)	Weight per metre/kg	Size (in)	Weight per metre/kg
3/8 x 1/4	0.16	1 x 5/8	1.09	1 3/4 x 1 1/4	3.82	3 x 5/8	3.28
1/2 x 1/8	0.11	1 x 3/4	1.31	2 x 1/8	0.44	3 x 1	5.25
1/2 x 3/16	0.16	1 1/4 x 1/8	0.27	2 x 3/16	0.66	3 x 2	10.5
1/2 x 1/4	0.22	1 1/4 x 3/16	0.41	2 x 1/4	0.87	3 1/2 x 1/4	1.52
1/2 x 3/8	0.33	1 1/4 x 1/4	0.55	2 x 3/8	1.31	3 1/2 x 1/2	3.04
5/8 x 1/8	0.14	1 1/4 x 3/8	0.82	2 x 1/2	1.75	4 x 1/8	0.87
5/8 x 3/16	0.2	1 1/4 x 1/2	1.09	2 x 5/8	2.19	4 x 3/16	1.3
5/8 x 1/4	0.27	1 1/4 x 5/8	1.37	2 x 3/4	2.62	4 x 1/4	1.75
5/8 x 3/8	0.41	1 1/4 x 3/4	1.64	2 x 1	3.5	4 x 3/8	2.62
5/8 x 1/2	0.55	1 1/4 x 1	2.19	2 x 1 1/4	4.37	4 x 1/2	3.5
3/4 x 1/8	0.16	1 1/2 x 1/8	0.33	2 x 1 1/2	5.25	4 x 5/8	4.37
3/4 x 3/16	0.25	1 1/2 x 3/16	0.49	2 1/2 x 3/16	0.82	4 x 3/4	5.25
3/4 x 1/4	0.33	1 1/2 x 1/4	0.66	2 1/2 x 1/4	1.09	4 x 1	6.99
3/4 x 3/8	0.49	1 1/2 x 3/8	0.98	2 1/2 x 3/8	1.64	4 x 1 1/4	8.74
3/4 x 1/2	0.66	1 1/2 x 1/2	1.31	2 1/2 x 1/2	2.19	4 x 2	14
3/4 x 5/8	0.82	1 1/2 x 5/8	1.64	2 1/2 x 3/4	3.28	5 x 1/4	2.19
7/8 x 1/8	0.19	1 1/2 x 3/4	1.97	2 1/2 x 1	4.37	5 x 1/2	4.37
1 x 1/16	0.11	1 1/2 x 1	2.62	2 1/2 x 1 1/2	6.56	6 x 1/4	2.62
1 x 1/8	0.22	1 1/2 x 1 1/4	3.28	2 1/2 x 2	8.74	6 x 3/8	3.93
1 x 3/16	0.33	1 3/4 x 1/4	0.76	3 x 1/8	0.66	6 x 1/2	5.25
1 x 1/4	0.44	1 3/4 x 3/8	1.15	3 x 3/16	0.98	6 x 1	10.5
1 x 5/16	0.54	1 3/4 x 1/2	1.53	3 x 1/4	1.31		
1 x 3/8	0.66	1 3/4 x 3/4	2.29	3 x 3/8	1.97		
1 x 1/2	0.87	1 3/4 x 1	3.06	3 x 1/2	2.62		

BORNMORE (METALS) LIMITED
NO.1 FOR ALL YOUR NON-FERROUS REQUIREMENTS



ALUMINIUM SQUARE BAR
6082T6

Size (in)	Weight per metre/kg	Size (in)	Weight per metre/kg
1/4 x 1/4	0.11	1 x 1	1.75
5/16 x 5/16	0.17	1 1/4 x 1 1/4	2.73
3/8 x 3/8	0.25	1 1/2 x 1 1/2	3.93
1/2 x 1/2	0.44	1 3/4 x 1 3/4	5.35
5/8 x 5/8	0.68	2 x 2	6.99
3/4 x 3/4	0.98	2 1/2 x 2 1/2	10.9
7/8 x 7/8	1.34	3 x 3	15.7



ALUMINIUM SQUARE SECTION
6082T6
6083T6

Size (in)	Weight per metre/kg	Size (in)	Weight per metre/kg
1/2 x 1/2 x 16 swg	0.2	50 x 50 x 3.0 mm	1.13
3/4 x 3/4 x 16 swg	0.31	2 x 2 x 16 swg	0.87
1 x 1 x 16 swg	0.42	2 x 2 x 10 swg	1.68
1 x 1 x 10 swg	0.78	2 x 2 x 1/4	3.06
1 1/4 x 1 1/4 x 16 swg	0.53	2 1/2 x 2 1/2 x 10 swg	2.12
1 1/4 x 1 1/4 x 10 swg	1	3 x 3 x 10 swg	2.57
1 1/2 x 1 1/2 x 16 swg	0.64	4 x 4 x 10 swg	3.47
1 1/2 x 1 1/2 x 10 swg	1.23	4 x 4 x 1/4	6.56
1 3/4 x 1 3/4 x 10 swg	1.45		



ALUMINIUM RECTANGULAR SECTION
6082T6
6083T6

Size (in)	Weight per metre/kg	Size (in)	Weight per metre/kg
1 1/2 x 3/4 x 16 swg	0.48	3 x 1 1/2 x 10 swg	1.9
1 1/2 x 1 x 1/16	0.52	3 x 2 x 10 swg	2.11
1 1/2 x 1 x 16 swg	0.53	4 x 1 x 10 swg	2.12
50 x 25 x 3.0 mm	1.12	4 x 1 3/4 x 10 swg	2.45
1 1/2 x 1 x 10 swg	1	4 x 2 x 10 swg	2.56
2 x 1 x 10 swg	1.22	6 x 2 x 10 swg	3.4
2 x 1 1/2 x 10 swg	1.34	6 x 3 x 3/8	10.8
3 x 1 x 10 swg	1.67		

BORNMORE (METALS) LIMITED NO.1 FOR ALL YOUR NON-FERROUS REQUIREMENTS



ALUMINIUM TUBE

6082T6


6083T6

Size (in)	Weight per metre/kg	Size (in)	Weight per metre/kg	Size (in)	Weight per metre/kg
3/8 od x 16 swg	0.11	1 1/4 od x 16 swg	0.42	2 1/4 od x 10 swg	1.49
1/2 od x 18 swg	0.12	1 1/4 od x 10 swg	0.79	2 1/2 od x 16 swg	0.86
1/2 od x 16 swg	0.15	1 1/4 od x 3/16 wall	1.08	2 1/2 od x 10 swg	1.67
1/2 od x 10 swg	0.26	1 3/8 od x 16 swg	0.46	2 1/2 od x 3/16 wall	2.38
5/8 od x 18 swg	0.15	1 3/8 od x 10 swg	0.88	2 1/2 od x 1/4 wall	3.08
5/8 od x 16 swg	0.2	1 1/2 od x 18 swg	0.38	2 1/2 od x 3/8 wall	4.36
5/8 od x 10 swg	0.35	1 1/2 od x 16 swg	0.5	2 3/4 od x 10 swg	1.84
3/4 od x 18 swg	0.19	1 1/2 od x 10 swg	0.96	3 od x 16 swg	1.03
3/4 od x 16 swg	0.24	1 1/2 od x 3/16 wall	1.35	3 od x 10 swg	2.02
3/4 od x 10 swg	0.44	1 1/2 od x 1/4 wall	1.71	3 od x 3/16 wall	2.9
7/8 od x 18 swg	0.22	1 5/8 od x 16 swg	0.55	3 od x 1/4 wall	3.76
7/8 od x 16 swg	0.29	1 5/8 od x 10 swg	1.05	3 1/2 od x 16 swg	1.21
7/8 od x 10 swg	0.53	1 5/8 od x 3/16 wall	1.48	3 1/2 od x 10 swg	2.37
1 od x 18 swg	0.25	1 3/4 od x 16 swg	0.59	3 1/2 od x 1/4 wall	4.46
1 od x 16 swg	0.33	1 3/4 od x 10 swg	1.14	4 od x 16 swg	1.38
1 od x 10 swg	0.61	1 7/8 x 10 swg	1.23	4 od x 10 swg	2.72
1 od x 3/16 wall	0.83	2 od x 16 swg	0.68	4 od x 1/4 wall	5.15
1 od x 1/4 wall	1.03	2 od x 10 swg	1.32	4 1/2 od x 10 swg	3.07
1 1/8 od x 16 swg	0.37	2 os x 3/16 wall	1.86	4 1/2 od x 1/4 wall	5.83
1 1/8 od x 10 swg	0.7	2 od x 1/4 wall	2.39	5 od x 10 swg	3.43
1 1/4" od x 18 swg	0.32	2 1/4 od x 16 swg	0.77		



SCAFFOLD TUBE

Size (in)	Weight per per Metre/kg
1 29/32 od x 7 swg	1.53



ALUMINIUM TEE SECTION

6082T6


6083T6

(dimensions are in the order of: upright x cross x thickness)

Size (in)	Weight per metre/kg	Size (in)	Weight per metre/kg
3/4 x 3/4 x 1/8	0.3	2 x 1 x 1/8	0.63
1 x 1 x 1/8	0.41	2 x 2 x 1/8	0.85
1 1/4 x 1 1/4 x 1/8	0.52	2 x 2 x 3/16	1.25
1 1/2 x 1 1/2 x 1/8	0.63	2 x 2 x 1/4	1.64
1 1/2 x 1 1/2 x 3/16	0.92	3 x 3 x 1/4	2.51
1 1/2 x 1 1/2 x 1/4	1.2		

BORNMORE (METALS) LIMITED


NO.1 FOR ALL YOUR NON-FERROUS REQUIREMENTS



ALUMINIUM CHANNEL

6082T6
6083T6

Size (in)	Weight per metre/kg	Size (in)	Weight per metre/kg	Size (in)	Weight per metre/kg
3/8 x 3/8 x 1/16	0.11	1 1/2 x 3/4 x 1/8	0.6	2 1/2 x 1 x 1/8	0.93
1/2 x 1/2 x 1/16	0.15	1 1/2 x 1 x 1/8	0.71	2 1/2 x 1 1/4 x 3/16	1.52
1/2 x 1/2 x 1/8	0.27	1 1/2 x 1 1/2 x 1/8	0.93	3 x 1 x 1/8	1.04
5/8 x 5/8 x 1/16	0.19	1 1/2 x 1 1/2 x 1/4	1.74	3 x 1 1/2 x 1/8	1.26
5/8 x 5/8 x 1/8	0.36	1 3/4 x 1 x 1/8	0.76	3 x 1 1/2 x 3/16	1.84
3/4 x 3/4 x 1/16	0.24	1 3/4 x 1 3/4 x 1/8	1.09	3 x 1 1/2 x 1/4 x 5/16	2.66
3/4 x 3/4 x 1/8	0.49	2 x 1/2 x 1/8	0.6	3 x 2 x 1/8	1.48
7/8 x 7/8 x 1/8	0.52	2 x 3/4 x 1/8	0.71	3 x 2 x 3/16	2.17
1 x 1/2 x 1/8	0.38	2 x 1 x 1/8	0.82	3 x 2 x 1/4	2.84
1 x 3/4" x 1/8	0.49	2 x 1 x 3/16	1.22	3 1/2 x 1 1/2 x 1/4 x 5/16	2.9
1 x 1 x 1/16	0.31	2 x 1 x 1/4	1.52	4 x 2 x 1/8	1.69
1 x 1 x 1/8	0.6	2 x 1 1/2 x 1/8	1.03	4 x 2 x 1/4 x 5/16	3.66
1 1/4 x 3/4 x 1/8	0.55	2 x 1 1/2 x 1/4	1.97	5 x 2 x 1/4 x 5/16	4.24
1 1/4 x 1 x 1/8	0.66	2 x 2 x 1/8	1.26	6 x 2 x 1/4 x 5/16	4.53
1 1/4 x 1 1/4 x 1/8	0.76	2 x 2 x 3/16	1.83	6 x 3 x 1/4 x 3/8	6.21
1 1/4 x 1 1/4 x 3/16	1.1	2 x 2 x 1/4	2.4	6 x 3 x 3/8 x 1/2	8.49
1 1/2 x 1/2 x 1/8	0.49	2 1/4 x 1 1/4 x 3/16	1.43		




ALUMINIUM ANGLE

6082T6
6083T6


Size (in)	Weight per metre/kg	Size (in)0.85	Weight per metre/kg
1/2 x 1/2 x 1/16	0.1	1 3/4 x 1 3/4 x 1/8	0.74
1/2 x 1/2 x 1/8	0.19	1 3/4 x 1 3/4 x 3/16	1.09
5/8 x 5/8 x 1/16	0.13	1 3/4 x 1 3/4 x 1/4	1.42
5/8 x 5/8 x 1/8	0.25	2 x 2 x 1/16	0.43
3/4 x 3/4 x 1/16	0.16	2 x 2 x 1/8	0.85
3/4 x 3/4 x 1/8	0.3	2 x 2 x 3/16	1.25
7/8 x 7/8 x 1/8	0.36	2 x 2 x 1/4	1.64
1 x 1 x 1/16	0.21	2 x 2 x 3/8	2.38
1 x 1 x 1/8	0.41	2 1/2 x 2 1/2 x 1/8	1.06
1 x 1 x 3/16	0.59	2 1/2 x 2 1/2 x 3/16	1.58
1 x 1 x 1/4	0.76	2 1/2 x 2 1/2 x 1/4	2.08
1 1/4 x 1 1/4 x 1/16	0.27	3 x 3 x 1/8	1.28
1 1/4 x 1 1/4 x 1/8	0.52	3 x 3 x 3/16	1.91
1 1/4 x 1 1/4 x 3/16	0.76	3 x 3 x 1/4	2.51
1 1/4 x 1 1/4 x 1/4	0.98	3 x 3 x 3/8	3.69
1 1/2 x 1 1/2 x 1/16	0.32	4 x 4 x 1/4	3.39
1 1/2 x 1 1/2 X 1/8	0.63	4 x 4 x 3/8	5
1 1/2 X 1 1/2 X 3/16	0.92	6 x 6 x 1/2	10
1 1/2" x 1 1/2" x 1/4"	1.2		

BORNMORE (METALS) LIMITED
NO.1 FOR ALL YOUR NON-FERROUS REQUIREMENTS



ALUMINIUM UNEQUAL ANGLE
6082T6
6083T6


Size (in)	Weight per metre/kg	Size (in)	Weight per metre/kg
3/4 x 1/2 x 1/16	0.13	2 x 1 1/2 x 3/16	1.09
3/4 x 1/2 x 1/8	0.25	2 x 1 1/2 x 1/4	1.42
1 x 1/2 x 1/16	0.15	2 1/2 x 1 x 1/8	0.73
1 x 1/2 x 1/8	0.3	2 1/2 x 1 1/2 x 1/8	0.85
1 x 5/8 x 1/8	0.33	2 1/2 x 1 1/2 x 3/16	1.25
1 x 3/4 x 1/16	0.18	2 1/2 x 1 1/2 x 1/4	1.64
1 x 3/4 x 1/8	0.36	3 x 1 x 1/8	0.85
1 1/4 x 1/2 x 1/8	0.36	3 x 1 x 1/4	1.64
1 1/4 x 3/4 x 1/8	0.41	3 x 1 1/2 x 1/8	0.96
1 1/4 x 1 x 1/8	0.47	3 x 1 1/2 x 3/16	1.4
1 1/2 x 1/2 x 1/8	0.41	3 x 1 1/2 x 1/4	1.86
1 1/2 x 3/4 x 1/8	0.46	3 x 2 x 1/8	1.07
1 1/2 x 1 x 1/8	0.52	3 x 2 x 3/16	1.58
1 3/4 x 1 x 1/8	0.57	3 x 2 x 1/4	2.08
2 x 1/2 x 1/8	0.52	4 x 1 x 1/8	1.06
2 x 3/4 x 1/8	0.57	4 x 2 x 1/8	1.28
2 x 1 x 1/8	0.63	4 x 2 x 1/4	2.51
2 x 1 x 3/16	0.92	4 x 3 x 1/4	2.95
2 x 1 x 1/4	1.2	3 x 3 x 3/8	5.63
2 x 1 1/2 x 1/8	0.74		



ALUMINIUM SHEET
1050H4
5251H22
5083

Size (mm)	Weight per sheet/kg	Size (mm)	Weight per sheet/kg	Size (mm)	Weight per sheet/kg
2000 x 1000 x 0.5	2.71	3000 x 1250 x 1.0	10.2	2500 x 1250 x 2.0	16.9
2500 x 1250 x 0.5	4.23	2000 x 1000 x 1.2	6.5	3000 x 1500 x 2.0	24.4
2000 x 1000 x 0.6	3.25	2500 x 1250 x 1.2	10.2	2000 x 1000 x 2.5	13.6
2500 x 1250 x 0.6	5.08	3000 x 1250 x 1.2	12.2	2500 x 1250 x 2.5	21.2
2000 x 1000 x 0.7	3.83	3000 x 1500 x 1.2	14.6	3000 x 1500 x 2.5	30.5
2500 x 1250 x 0.7	5.08	2000 x 1000 x 1.5	8.13	2000 x 1000 x 3.0	16.3
2000 x 1000 x 0.8	4.34	2500 x 1000 x 1.5	10.16	2500 x 1250 x 3.0	20.33
2500 x 1250 x 0.8	6.78	2500 x 1250 x 1.5	12.7	2500 x 1250 x 3.0	25.4
2000 x 1000 x 1.0	5.42	2500 x 1500 x 1.5	15.24	3000 x 1500 x 3.0	36.6
2500 x 1250 x 1.0	8.47	2000 x 1000 x 2.0	10.8		













**BORNMORE (METALS) LIMITED
NO.1 FOR ALL YOUR NON-FERROUS REQUIREMENTS**




ALUMINIUM 5 BAR TREADPLATE

Thickness (mm)	2000 x 1000	2500 x 1250	3000 x 1500
2.0 mm	x	x	x
3.0 mm	x	x	x
4.5 mm	x	x	x
6.0 mm	x	x	x

ALUMINIUM WALLBOARD SECTIONS

To Secure	Edge Trim	Continual Run	Internal Corner	External Corner
1/4"				
1/2"				
5/8"				

BORNMORE (METALS) LIMITED
NO.1 FOR ALL YOUR NON-FERROUS REQUIREMENTS



GALVANISED SHEET

Size (mm)	Weight per sheet/kg	Size (mm)	Weight per sheet/kg	Size (mm)	Weight per sheet/kg
2000 x 1000 x 0.60	9.42	2000 x 1000 x 1.0	15.7	2000 x 1000 x 2.5	39.25
2500 x 1250 x 0.60	14.72	2500 x 1250 x 1.0	24.53	2500 x 1250 x 2.5	61.33
3000 x 1500 x 0.60	21.2	3000 x 1500 x 1.0	35.33	3000 x 1500 x 2.5	88.31
2000 x 1000 x 0.70	10.99	2000 x 1000 x 1.2	18.84	2000 x 1000 x 3.0	47.1
2500 x 1250 x 0.70	17.17	2500 x 1250 x 1.2	29.44	2500 x 1250 x 3.0	73.56
3000 x 1500 x 0.70	24.73	3000 x 1500 x 1.2	42.39	3000 x 1500 x 3.0	105.98
2000 x 1000 x 0.80	12.56	2000 x 1000 x 1.5	23.55	2000 x 1000 x 4.0	64.68
2500 x 1250 x 0.80	19.63	2500 x 1250 x 1.5	36.8	2500 x 1250 x 4.0	100.48
3000 x 1500 x 0.80	28.26	3000 x 1500 x 1.5	52.99	2000 x 1000 x 5.0	80.86
2000 x 1000 x 0.90	14.13	2000 x 1000 x 2.0	31.4	2500 x 1250 x 5.0	125.6
2500 x 1250 x 0.90	22.08	2500 x 1250 x 2.0	49.06	2000 x 1000 x 6.0	97.03
3000 x 1500 x 0.90	31.8	3000 x 1500 x 2.0	70.65	2500 x 1250 x 6.0	150.7



ZINC SHEET

8' x 3' x 1.2 mm


8' x 3' x 1.5 mm



PEWTER SHEET

2000 x 1000 x 1.2 mm

2000 x 1000 x 1.5 mm



PHOSPHOR BRONZE SHEET **PB102 H-H**

2000 x 1000 x 0.9 mm


2000 x 1000 x 1.2 mm

2000 x 1000 x 1.5 mm

2000 x 1000 x 2.0 mm

**BORNMORE (METALS) LIMITED
NO.1 FOR ALL YOUR NON-FERROUS REQUIREMENTS**

In-House Polishing Division



WE CAN POLISH

- **Tube, Pipe to satin/mirror finishes.**
- **Box Sections.**
- **Flat bars.**
- **Angles, channels and tees.**
- **Round bar.**
- **Laser cut blanks.**
- **Spindles for hand polishing.**

Theoretical Weights

All weights shown in our brochure are strictly for guidance only.

Actual weights can vary significantly due to manufacturing tolerances

No liability will be accepted by the company for any reliance on the weights quoted in this catalogue.

All orders are subject to our conditions of sale which is available on request.

**Bornmore (Metals) Limited
Unit 1, Bornmore Industrial Centre,
Harvey Street,
BURY,
Lancashire. BL8 1NR**

Telephone No.: 0161 797 6955 Fax No.: 0161 762 0857

E-mail: sales@bornmoremetals.co.uk